

427/554

3/519420

1112  
1/10




Fig. 1(A)




Fig. 1(B)




Fig. 1(C)




Fig. 1(D)




Fig. 2(A)




Fig. 2(B)




Fig. 2(C)




Fig. 3(A)




Fig. 3(B)




Fig. 3(C)




Fig. 3(D)




Fig. 3(E)




Fig. 4(A)




Fig. 4(B)




Fig. 4(C)




Fig. 4(D)




Fig. 4(E)




Fig. 4(F)

Fig. 5(A)




Fig. 5(B)




Fig. 5(C)




Fig. 5(D)




Fig. 6(A)




Fig. 6(B)




Fig. 6(C)




Fig. 6(D)




Fig. 6(E)





Fig. 6(F)










Fig. 7

No	Sample Preparation Conditions	Spin Density (spins/cm <sup>3</sup> )	g - value
1	560°C, 4h	$3.22 \times 10^{18}$	2.0055
2	550°C, 4h	$7.72 \times 10^{18}$	2.0055
3	(550°C, 4h) + LC	$8.21 \times 10^{18}$	2.0057
4	(550°C, 4h) + LC + (550°C, 4h)	$7.65 \times 10^{17}$	2.0051
5	600°C, 24h	$1.06 \times 10^{18}$	2.0052
6	600°C, 24h (Non-Ni)	$3.06 \times 10^{18}$	2.0049

Fig. 8








Fig. 10